



We Service What We Sell

AUGUST — SEPTEMBER 2026

SPEND OVER \$399 ON MILWAUKEE PRODUCT & RECEIVE A

FREE

SHOCKWAVE™ 50PC DRILL DRIVER BIT SET

WORTH \$99!

While stocks last



Code 48324024

Features

OPTIMISED SHOCKZONE™

Absorbs peak torque and prevents breaking

PRECISE FIT CUSTOM MACHINED TIP™

Prevents stripping and reduces wobble

CUSTOM ALLOY76™ STEEL

Maximizes resistance to wear and shock(2) TORX 2" T25

Product Summary

The Milwaukee® SHOCKWAVE™ impact drill and driver bits feature a Wear Guard Tip™ that delivers increased wear resistance which protects the fit over the life of the bit. The driver bits in the SHOCKWAVE™ set have optimised Shockzones for each tip type and length of the driver bit to absorb peak torque and prevent breaking. The impact driver bits are made from Custom Alloy76™ steel, heat treated based on tip type to extend the life of driver bits and provides up to 50X life vs. competitive impact driver bits. Milwaukee® SHOCKWAVE™ is built to deliver extreme durability for the most demanding jobsite applications.

Promotions valid 1st August — 30th September 2026 (unless otherwise stated). All prices include G.S.T. E & OE.
powertoolcentres.co.nz • 0800 TOOLTIME (0800 866 584) • See inside for more!





REDEMPTIONS

1ST JULY 2026 - 30TH SEPTEMBER 2026

BUY

M18 FUEL
10 PIECE POWER PACK 10C4
M18FPP10C4603B



REDEEM

M18
REDLITHIUM™
5.0AH BATTERY X2
2x M18B5



BUY

M12 FUEL
2 PIECE POWER PACK 2A2
M12FPP2A2422B



REDEEM

M12
REDLITHIUM™ HIGH
OUTPUT™ 2.5AH
COMPACT BATTERY
M12HB2



BUY

M18 FUEL
2 PIECE POWER PACK 2AB3
M18FPP2AB3502C



REDEEM

M18
REDLITHIUM™
5.0AH BATTERY
M18B5



BUY

M18 FUEL
4 PIECE POWER PACK 4B3
M18FPP4B3502B



REDEEM

M18
REDLITHIUM™
HIGH OUTPUT™
6.0AH BATTERY
M18HB6



BUY

M18 FUEL
28MM SDS PLUS ROTARY
HAMMER W/ ONE-KEY™ KIT
M18FHP-802FC



BUY

M18 FUEL
1/2" MID-TORQUE
IMPACT WRENCH WITH
FRICTION RING KIT
M18FMTIW2F12-502C



BUY

M18 FUEL
165MM TRACK SAW KIT
M18FPS55-602P



REDEEM

M18 FUEL
16MM SDS PLUS
ROTARY HAMMER
M18FHAC160
(TOOL ONLY)



REDEEM

SHOCKWAVE
IMPACT DUTY™
1/2" DRIVE 29 PIECE
METRIC DEEP 6 POINT
IMPACT SOCKET SET
49667015



REDEEM

M18 FUEL
1/2" ROUTER
M18FR120B
(TOOL ONLY)



**AUTHORISED
RETAIL PARTNER**

Terms and Conditions apply, see website for details. Offers valid during the promotional period from Wednesday 1st July 2026 - Wednesday 30th September 2026. Online redemption must be claimed by 14th October 2026. While stocks last. Please allow 4-6 weeks for delivery. 1 redemption per transaction. Learn more at <https://www.milwaukeetool.co.nz/redemptions/>

ARN-7947



powertoolcentres.co.nz

-2-



AUTOSTOP™ ADVANCED KICKBACK PROTECTION



M18 FUEL™ 184mm Circular Saw with VACLINK™ and ONE-KEY™

M18ONEFCS66G30 (Tool Only)

- ONE-KEY™ track and manage.
- AUTOSTOP™ advanced kickback protection.
- VACLINK™ wireless dust control: ability to activate dust extractor via compatible tool.

Blade Size	Arbor Size	RPM
184mm (7 1/4")	20mm	6,000



M18 FUEL ONE-KEY

RECOMMENDED FOR USE WITH

**M18™ REDLITHIUM™
FORGE™ 12.0Ah Battery**
M18FB12



**M18 REDLITHIUM™
FORGE™**

MOST POWER FASTEST CHARGING LONGEST LIFE



VACLINK™

WIRELESS DUST CONTROL

Integrated Wireless Dust Control Technology lets compatible tools and dust extractors/vacuums connect, enabling the dust extractor/vacuum to be activated by the tool or a remote.



Consult operator manual to assess suitability of tools with dust extractor/vacuum.
Use dust extractors/vacuums in accordance with applicable laws and regulations

M12 & M12 FUEL RATCHETS



	Baseline	Top-tier performance in the smallest possible footprint		
	M12 Cordless 3/4" Ratchet M12IR-0	M12 FUEL 3/4" Ratchet M12FR140	M12 FUEL 3/4" Ratchet M12FR380	M12 FUEL 3/4" Ratchet M12FR120
Anvil Size	3/4"	1/2"	3/4"	3/4"
Max Torque	47Nm	61Nm	95Nm	108Nm
RPM	0-250 RPM	0-550 RPM	0-400 RPM	0-300 RPM
Length (Tool Only)	273mm	304.8mm	304.8mm	304.8mm
Modular Trigger Compatibility	No	Yes	Yes	Yes
Protective Boot	No	49163052	49163053	49163054



M12 FUEL EXTENDED REACH RATCHETS



	Access hard-to-reach areas without compromising on power			Lowest profile head and versatility to tackle more jobs with one tool
	M12 FUEL 1/4" High Speed Extended Reach Ratchet M12FHR14LR0	M12 FUEL 3/4" High Speed Extended Reach Ratchet M12FHR38LR0	M12 FUEL 3/4" Extended Reach Ratchet M12FHR38LR-0	M12 FUEL INSIDER Extended Reach Pass-Through Ratchet with Insert Accessories M12FPTR0
Anvil Size	1/4"	3/4"	3/4"	1/4", 3/8", 1/2", 3/4" Hex
Max Torque	47.5Nm	47.5Nm	74Nm	81.3Nm
RPM	0-450 RPM	0-450 RPM	0-200 RPM	0-350 RPM
Length (Tool Only)	342.9mm	363mm	363mm	386mm
Modular Trigger Compatibility	No	No	No	No
Protective Boot	49162569	49162569	49162560	No





Cordless Tower Light ML014G

- Max luminous flux: 15,000 lm
- Brightness range: 1,100 – 15,000 lm (stepless adjustment)
- Dust and water resistance: IP56 certified
- Light head: Manually adjustable height
- Design: Foldable for compact storage and transport
- Application: Ideal for dusk, night time, and low-light working conditions
- Runtime optimisation: Variable brightness settings to balance illumination and battery life
- Usage: Suitable for indoor and outdoor jobsite lighting applications



40Vmax 125mm Circular Saw HS014GZ

- Blade Diameter: 125mm
- No load speed: 6,400 RPM
- Bevel Cutting Range: Left -15° Right - 45°
- Circular Saw Cutting Capacities (Depth)
 - 0°: 47mm
 - 45° Bevel Right: 30mm
 - 15° Bevel Left: 20mm
- Skin Weight: 2.4KG



40Vmax Backpack Blower UB004GZ

- Max. Blower Air Volume:
- 0-13.8 / 16.2m³/min (BL4025-BL4080F)
- 0-13.8 / 19.1m³/min (BL4080H)



40Vmax 66mm Band Saw PB003GZ

- Band Blade(L x W x T): 835mm | 13mm | 0.5mm
- Cutting Capacity
- Round Pipe: 66mm
- Square Pipe: 66mm x 66mm
- No Load Speed: 0 - 3.2m/s
- Skin Weight : 3.3kg



Portable Bandsaw Table Set 1917F0-6

- Portable Bandsaw Table set for DPB183 and PB003G
- Cutting Capacity: 66x66mm
- Enables precise right angle cuts
- The Vise assembly is designed to slant backwards so that it can press the workpiece against both the guide fence and base of the stand, providing secure and stable clamping.



XGT 40Vmax 260mm Table Top Mitre Saw LH001GZ

- Blade Diameter: 260mm
 - No load speed: 4,300 RPM
 - Mitre Saw Bevel Cutting Range: 45° Left
 - Mitre Cutting Range: Left: 45°, Right: 52°
- Cutting Capacities (H x W)**
- 0°: 93mm x 95mm / 69mm x 130mm
 - 45° Mitre Left and Right: 93mm x 67mm / 69mm x 85mm
 - 45° Bevel Left: 53mm x 95mm / 35mm x 130mm
 - 45° Bevel Left & 45° Mitre Left: 49mm x 42mm / 35mm x 65mm
 - 45° Bevel Left & 45° Mitre Right: 49mm x 67mm / 35mm x 91mm
- Table Saw maximum cutting height: 40mm
 - Table Size: 260mm x 415mm
 - Rip Fence height: 54mm
 - Weight (Skin): 14.1 kg



LXT 18V 30° - 35° Metal Connector Nailer DBN640Z

- Drive System: Pneumatic Spring
- Fastener Lengths: 38 - 64mm
- Magazine Capacity: 31 Nails
- Dry Fire Lock-Out: 4 - 5 Nails
- Firing Mode: Sequential Only
- Fastener Compatibility: Round Head 30 - 35° Paper Collated 3.3mm - 4.1mm
- Dimensions (L x W x H): 326 x 185 x 259 mm
- Skin Weight: 4.5KG



XGT 40Vmax Concrete Screed VL001GZ

- Blade Width: 900mm | 1400mm | 1800mm
- Vibration Frequency: 11,000 vibrations per minute
- Continuous Runtime (1800mm Blade): 150mins (BL4040F)
- Skin Weight (With Blade): 900mm 4.3kg | 1400mm 4.6kg | 1800mm 5.2kg
- **N.B.** The aluminium screed blades, the 40V Max XGT batteries and charger are sold separately



XGT 40Vmax Ground Trimmer UG001GZ

- Cutting Strokes Per Minute: LOW: 3,000SPM HIGH: 4,000SPM
- Blade Length: 521mm
- Effective Cutting Width: 500mm
- Tooth Spacing: 28mm
- Cutting Height Adjustment Range: 25 - 105mm
- Skin Weight: 9.1kg





GUARANTEED TOUGH REDEMPTIONS

JULY - SEPTEMBER 2026

BONUS VIA ONLINE REDEMPTION



18V XR POWERSTACK 1.7AH BATTERY
DCBP034-XJ

WHEN YOU PURCHASE

18V XR 2 PIECE KIT - 5AH
DCZ294P2-XE



BONUS VIA ONLINE REDEMPTION



18V XR POWERSTACK 3.5AH BATTERY
DCBP318-XJ

WHEN YOU PURCHASE

18V XR 4PC MIXED VOLTAGE PIECE KIT - 5AH/6AH
DCZ407P1T1-XE



BONUS VIA ONLINE REDEMPTION



18V XR POWERSTACK 1.7AH BATTERY + 18V XR POWERSTACK 5AH BATTERY
DCBP034-XJ + DCBP518-XJ

WHEN YOU PURCHASE

18V/54V XR 5PC MIXED VOLTAGE PIECE KIT - 6AH
DCZ507T2-XE



BONUS VIA ONLINE REDEMPTION



18V XR POWERSTACK 1.7AH BATTERY + 2 x 18V XR POWERSTACK 3.5AH BATTERY
DCBP034-XJ + 2 x DCBP318-XJ

WHEN YOU PURCHASE

18V XR 12 PIECE KIT - 5AH
DCZ1201P3-XE



**REDEEM AT
GUARANTEEDTOUGH.CO.NZ**

Terms and Conditions Apply. DEWALT reserves the right to change any deal, price and / or specification at any time without notice. Price includes GST unless otherwise stated. Our Redemption Promotion runs from 01/07/2026 - 30/09/2026. Valid dates for purchase: 01/07/2026 - 30/09/2026. Valid dates for redemption claims: 01/07/2026 - 14/10/2026. Deals available while stocks last and only at participating stores.

DEWALT

VERSATILITY MEETS PERFORMANCE

18V XR MULTI-HEAD DRILL DRIVER – BARE UNIT

DCD803NT-XJ

Experience next-level versatility with the DEWALT DCD803 18V XR Multi-Head Drill Driver, the first DEWALT 18V drill driver featuring four interchangeable heads for unmatched flexibility on the job.

Delivering up to 73 Nm of torque in a compact, lightweight design, this powerful tool gives you increased power without the bulk. It features two durable belt hooks, one for your tool and another for the included attachment organiser.

Additionally, users can mount the organiser in their workshop for convenient access.

SPECIFICATIONS

SKU CODE	DCD803NT-XJ
VOLTAGE	18V
MAX TORQUE	73Nm
SPEED SETTINGS	2
NUMBER OF HEADS	4
TOOL LENGTH	124 mm (without attachments)
WEIGHT	0.9 kg (bare tool)

TOOL WARRANTY

3 YEARS LIMITED WARRANTY	1 YEAR FREE SERVICE	30 DAY SATISFACTION GUARANTEE
-----------------------------	------------------------	----------------------------------

18V XR
BRUSHLESS**2 VARIABLE
SPEED SETTINGS**

DROP IN LOAD MECHANISM

Change attachments quickly.

**15 CLUTCH
SETTINGS**

LED LIGHT

Improved visibility for increased accuracy and productivity.

BELT HOOK AND MAGNETIC BIT HOLDER

Increasing the user's comfort

INCLUDES: DCD803NT-XJ (1) 18V XR Brushless Multi-Head Drill Driver (1) TSTAK Case + 4 Included Heads and Attachment Organiser.



Right Angle head



13mm Metal Chuck



Off Set head



1/4" Bit Holder



BOSCH

Invented for life

NEW EXPERT BATTERIES

FOR MAXIMUM POWER AND RUNTIME

LESS DOWNTIME

Outstanding charging times from 0% - 100%

- EXPERT 4.0Ah: 30min
- EXPERT 8.0Ah: 36min
- EXPERT 15.0Ah: 60min

*With the EXAL18V-160 charger combined with ExtremeTemp Charging

EXTREME RUNTIME

Exceptional continuous runtime in tough applications.

UNMATCHED POWER

Less inner resistance for high power (up to 2400W) and outstanding energy density.



NEW EXPERT BATTERIES





BOSCH

Invented for life

Bosch Professional

GEAR UP BONUS REDEMPTIONS

**WITH ALL
SPEND TIERS
\$449+**

IN ONE TRANSACTION
ON BOSCH PRO
CORDLESS POWER AND
MEASURING TOOLS.

FREE*
VIA ONLINE REDEMPTION



RRP
\$277



Large Tool Bag, 10pce Cutting Disc Set
and 12pce Recip Saw Blade Set

**WHEN YOU
SPEND
\$449**

IN ONE TRANSACTION
ON BOSCH PRO
CORDLESS POWER AND
MEASURING TOOLS.

FREE*
VIA ONLINE REDEMPTION



RRP
\$255

OR



RRP
\$275

OR



RRP
\$369

18V 5.0Ah Battery -OR- 50m Distance Measurer
-OR- 18V Angle Grinder

SPEND \$749

IN ONE TRANSACTION ON BOSCH PRO
CORDLESS POWER AND MEASURING TOOLS.

FREE* VIA ONLINE REDEMPTION



RRP
\$673

OR



RRP
\$510

OR



RRP
\$624

18V Rotary Hammer and 18V 5.0Ah Battery
-OR- 2x 18V 5.0Ah Battery
-OR- 18V Angle Grinder and 18V 5.0Ah Battery

SPEND \$1299

IN ONE TRANSACTION ON BOSCH PRO
CORDLESS POWER AND MEASURING TOOLS.

FREE* VIA ONLINE REDEMPTION



RRP
\$1328

2x 18V 5.0Ah Battery, 18V Pruner and 14pce Hole Saw Set

SPEND \$1999

IN ONE TRANSACTION ON BOSCH PRO
CORDLESS POWER AND MEASURING TOOLS.

FREE* VIA ONLINE REDEMPTION



RRP
\$1655

OR



RRP
\$1828

18V Garden Blower,
3x 18V 5.0Ah Battery and 14pce Hole Saw Set
-OR- 18V Cross Line Laser Kit,
2x 18V 5.0Ah Battery and 14pce Hole Saw Set

PURCHASE BETWEEN 1ST JUL 2026 - 30TH SEP 2026

REDEEM BY 14TH OCT 2026

* Via online redemption



SCAN TO LEARN MORE,
INCLUDING FULL
TERMS & CONDITIONS

*Terms and conditions apply, see www.boschbluecrew.co.nz/promotions
Open to NZ residents 18+. Starts: 01/07/26.
Ends for purchases: 11:59pm 30/09/26 and for claims: 11:50pm 14/10/26.
Retain original receipt/invoice.
Guaranteed gifts or limited gifts available, depending on product purchased
(see website for gift awarded for each eligible product).

6 YEARS

**Tool & Battery
Guarantee***

*With online registration



TRADE QUALITY • TRADE SERVICE • TRADE KNOW-HOW

-9-



Portable Dust Extraction Solutions for controlling Respirable Crystalline Silica (RCS) Dust

Worksafe provides guidelines for PCBU s on how to choose, use and maintain Industrial Vacuums and Portable Dust Extractors for controlling hazardous dust in the workplace.

Portable Vacuums/Dust Extractor as an Engineering Control Measure

With correctly selected equipment, using power tools fitted with Local Exhaust Ventilation (LEV) connected to a Portable Dust Extractor is a suitable Engineering Control Measure to capture and remove RCS dust from the point of generation and safely contain the dust until such time that it can be safely disposed of.




Worksafe guidelines stipulate the use of a Certified H Class Vacuum/Dust Extractor solution when working with RCS dust.

Product Selection

The Portable Dust Extractor or vacuum used for Hazardous Dust must be fit for purpose, ensuring safe capturing, containment, and disposal of the dust.

Household/DIY, or standard commercial vacuum cleaners/Dust Extractors are not suitable for the collection of Hazardous Dust such as RCS.



Industrial Certified Safety Vacuums/Dust Extractors have additional features and protection levels built into them, and carry a Rating based on The International identification system of Low (L), Medium (M), or Hazardous/High (H) Risk. This system is used to identify the health hazard presented by specific dusts, and the correct solution is then provided by the correctly certified dust extractor.

Worksafe guidelines stipulate the use of a Certified H Class Vacuum/Dust Extractor solution when working with RCS dust.

H Class Vacuums, as well as providing a high level of suction performance, have additional safety features designed to keep workers safe from the harmful dust:

- Certified H Class level of filtration throughout the entire machine (min 99.995%)

Audible & Visual Alarms if the Airflow into the containment tank falls below 20 cubic metres per second (such as a hose blockage or leak)

Exterior Warning Label

A sealing system to contain dust when machine is being stored/transported

Secure Installation of the H Class filter to prevent accidental removal or tampering

Strict procedures implemented by the PCBU for operation and handling





AERO 26-W2H PC

Nilfisk 25L Compact H Class Wet & Dry Vacuum

The industry's first compact safety vacuum cleaner that helps you work safely and can be moved around site with ease.

- Upgraded with the latest technology including state-of-art air velocity measurement system and a double sealed filter enabling high performance of your vacuum cleaner
- Smart operation via Bluetooth remote control enables easier ON/OFF functionality, auto detection of power tools, alarm notification, and more convenient operation
- Protects from static electric shock with fully antistatic hose system
- Reduced noise level the latest AERO SAFETY series makes significantly less noise than previous models to ensure your comfort and safety while working
- 1500W Pmax • 3700 l/min



Bluetooth with automatic detection

Universal bluetooth controller with built-in power tool sensors that auto start/stop the vacuum



Onboard H-Class LongLife Filter (PTFE)



Push&Clean Filtration System

Fast filter cleaning by blocking the air inlet and push the filter cleaning button.



Extended tool functionality

Power tool extension outlet supports Ø32 and Ø21 hose settings, to attach and control a wide range of power tools.



ATTIX 33-2H IC

Nilfisk 30L Attix H Class Wet & Dry Vacuum

- HEPA filter and PTFE long-life filter with non-stick membrane and minimum 99.9% filtration efficiency
- Air Flow sensor with combined acoustic and LED warning
- Power tool socket with auto start/stop
- 30L container with steel castors and robust bumper
- Includes floor tools
- MultiFit accessory system – wide range of hose and accessory options
- Optional motor cooling filter, exhaust air collector and long-life filter bag
- 1400W Pmax • 4500 l/min



Push&Clean Filtration System

Fast filter cleaning by blocking the air inlet and push the filter cleaning button.



Extended tool functionality

Power tool extension outlet supports Ø32 and Ø21 hose settings, to attach and control a wide range of power tools.



Nilfisk 25L Compact M Class Wet & Dry Vacuum

- Lightweight, portable certified M-Class safety vac with state-of-the-art air velocity management and filtration system that delivers superior dust extraction and suction.
- Smart operation via Bluetooth remote control enables easier ON/OFF functionality, auto detection of power tools, alarm notification, and more convenient operation
- Protects from static electric shock with fully antistatic hose system
- Push&Clean semi-automatic filter cleaning keeps suction at peak performance
- Washable PET M-Class filter with 99.9% filtration
- 1500W Pmax • 3700 l/min • 3.5m hose • 7.5m cable length



AERO 26-W2M PC

Nilfisk 25L Compact L Class Wet & Dry Vacuum

- Improved cleaning with increased air velocity in both hose, nozzle and tool connector
- Power outlet with automatic start/stop for electric tools designed to collect dust straight from your tools
- Push&Clean semi-automatic filter cleaning keeps suction at peak performance
- Washable PET M-Class filter with 99.9% filtration
- Wet&Dry Vacuum that has L-Class certification
- 1500W Pmax • 3600 l/min • 3.5m hose • 5m cable length



AERO 26-21L PC



RECIP AMPED

EXTREME LIFE. EXTREME CUTS.

100X LONGER LIFE

Up to 100X longer life versus standard bi-metal blades across all applications

BLACK I.C.E COATING

Black I.C.E. coating protects cutting edge against wear for extreme durability and longer life

DIABLO TICO HI-DENSITY CARBIDE

Diablo TiCo Hi-Density carbide delivers the greatest durability and cutting performance

1" OVERSIZED BLADE BODY

1" oversized blade body for greater stability and reduced vibration



Servicing & Repairs

People who are serious about power tools rely on us to provide SPECIALIST AFTER SALES SERVICE of the highest quality. Trades people from all walks of life bring their tools to us for servicing and repairs. Their tools are their livelihood and they know from experience that we do the job right. When your power tools aren't doing what they should then bring them on in to your local POWERTOOL CENTRE.

AUCKLAND City Power Tools Ltd 16 Nugent Street, Grafton Ph: (09) 303 1722 tools@citypowertools.co.nz **HENDERSON** Alltrades Electric Tools Ltd 35 Henderson Valley Road Ph: (09) 837 5115 info@alltrades.net.nz
EAST TAMAKI K Power Tools 83A Springs Road Ph: (09) 265 1866 info@kpt.kiwi **TAURANGA** Powertools & Servicing Tauranga Ltd 62 10th Avenue Ph: (07) 578 8977 team@powertoolstauranga.co.nz
MT MAUNGANUI Machinery & Powertool Centre 37 Hewletts Road Ph: (07) 574 9980 woodwork@xtra.co.nz **ROTORUA** Surplus Tools and Machinery 5 Pururu Street Ph: (07) 3501356 sales@surplustools.co.nz
NAPIER Thomson's Powertool Centre 28 Dunlop Road, Onekawa Ph: (06) 8438718 sales@thomsonspc.co.nz **HASTINGS** Hector Jones Limited Cnr King and Queen Streets Ph: (06) 878 9049 sales@hectorjones.co.nz
STRATFORD Stratford Powertool Centre 147 Broadway Ph: (06) 765 4433 sptc@xtra.co.nz **PALMERSTON NORTH** Smith-Pilling Rewinds Ltd IO Taonui Street Ph: (06) 358 3835 sales@pnpowertools.co.nz
LOWER HUTT Lower Hutt Powertool Centre Ltd 453 Hutt Road Ph: (04) 569 3304 admin@lhptc.co.nz **NELSON** Nelson Power Tool Centre 146 Tahunanui Drive Ph: (03) 548 5657 motor.rewind.specialists@xtra.co.nz
GREYMOUTH Coastwide Welding & Tool Supplies Ltd 30-32 Turumaha Street Ph: 03 768 0880 (shop phone) accounts@coastwide.co.nz
ASHBURTON Newlands Group Ltd 80-86 Kermode Street Ph: (03) 308 7234 sales@newlands.net.nz **TIMARU** Independent Engineering Ltd 1 Latter Street Ph: (03) 684 4888 sales@indeng.co.nz

NOTE: While we have made every effort to ensure details of all items in this catalogue are accurate, we do not accept responsibility for any errors or omissions. Some items may be unavailable in some stores.